AKEMI®

according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Pro Scrub** 11044 Article number:

· ŪFI: 1JR0-U0VU-700X-264T

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available

Application of the substance / the

Cleaning agent/ Cleaner mixture

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg

Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

· Further information obtainable

from: · 1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Void Hazard pictograms Void · Signal word Void

· Hazard-determining components

of labelling: Not applicable.

· Hazard statements Void

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Mixture: consisting of the following components. · Description:

water water

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

(Contd. of page 1)

<5%

		(Conta. or page
 Dangerous components: 		
CAS: 1332-58-7	Kaolin	<10%
EC number: 310-127-6	substance with a Community workplace exposure limit	
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx 02-2119751533-40-0000		1-5%

- Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants, BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: No special measures required.

After inhalation:
 After skin contact:
 Supply fresh air; consult doctor in case of complaints.
 Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and

Ielayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special

treatment needed If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents: Water with full jet

· 5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

• Protective equipment: Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

• emergency procedures Product forms slippery surface when combined with water.
• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

(Contd. on page 3)



(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 6.4 Reference to other sections

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed receptacles.

No special measures required.

· Information about fire - and

<u>explosion protection:</u> The product is not flammable.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in one

<u>common storage facility:</u> Store away from foodstuffs.

Store away from oxidising agents.

• Further information about storage

conditions: Protect from frost.

Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

 Ingredients 	with limit v	values tha	t require	monitoring	at the	workplace:

1332-58-7 Kaolin

WEL Long-term value: 2 mg/m³

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

· DNELs

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL (Langzeit-wiederholt)	1.25 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	20 mg/kg bw/day (ARB)
		10 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	101.2 mg/m³ Air (ARB)
		7.5 mg/m³ Air (BEV)

DNEL (Langzeit-wiederholt) 6

67.5 mg/m³ Air (ARB)

34 mg/m³ Air (BEV)

· PNECs

112-34-5 2-(2-butoxyethoxy)ethanol

PNEC (wässrig) | 200 mg/l (KA) 0.1 mg/l (MW) 1 mg/l (SW)

3.9 mg/l (WAS)

(Contd. on page 4)



(Contd. of page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

PNEC (fest) 0.32 mg/kg Trockengew (BO)

> 0.44 mg/kg Trockengew (MWS) 4.4 mg/kg Trockengew (SWS)

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures:

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product. · Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH,

Germany, 36124 Eichenzell, internet: http://www.kcl.de).

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for

the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked

prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≤ 6, 480 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

Camapren (KCL, Art_No. 720, 722, 726)

Product does not present an explosion hazard.

(Contd. of page 4)

Not suitable are gloves made of

the following materials:

Leather gloves

Strong material gloves

• Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

 9.1 Information on basic 	physica	I and chemica	l properties
--	---------	---------------	--------------

· General Information

Appearance:

Form: Fluid
Colour: Whitish
Odour: Light

· Odour threshold: Not determined.

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 60 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

· <u>Auto-ignition temperature:</u> Product is not selfigniting.

Explosive properties:

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapour pressure at 20 °C: 23 hPa

Density at 20 °C:
 Relative density
 Vapour density
 Evaporation rate
 1.49 g/cm³
 Not determined.
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic at 20 °C: 45 mPas
Kinematic: Not determined.

Solvent content:

Organic solvents: 1.1 % Water: 48.6 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)



(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

· 10.3 Possibility of hazardous

No dangerous reactions known.

reactions No further relevant information available. · 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1332-58-7 Kaolin

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
	I C50/48h	1 100 mg/l (danhn)

|LC50/48h|>1,100 mg/l (daphnia magna) (Literatur)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	2,410 mg/kg (mouse)	
		>2,000 mg/kg (rat)	
Dermal	LD50	2,764 mg/kg (rbt)	

 Primary irritant effect: Do not get in eyes, on skin, or on clothing.

· Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

EC50/72h >100 mg/l (Desmodesmus subspicatus)

· 12.1 Toxicity

<u>1211 TOXION</u>			
· Aquatic toxicity:			
1332-58-7	Kaolin		
EC50/48h	>1 mg/l (daphnia magna) (OECD 202)		
EC50/72h	>100 mg/l (Scenedesmus subspicatus) (OECD 201)		
LC50/96h	>100 mg/l (Oncorhynchus mykiss) (OECD 203)		
112-34-5 2	-(2-butoxyethoxy)ethanol		
EC50/24h	2,850 mg/l (daphnia magna) (DIN 38412)		
EC50/96h	>100 mg/l (Desmodesmus subspicatus)		
	>100 mg/l (Scenedesmus subspicatus)		
EC10/16h	1,170 mg/l (pseudomonas putida)		
EC5	73 mg/l (Entosiphon sulcatum)		
EC50/48h	>100 mg/l (daphnia magna)		
NOEC	>100 mg/kg (Desmodesmus subspicatus)		
EC10	>1,995 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)		

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

(Contd. of page 6)

LC50/96h 1,300 mg/l (lepomis macrochirus)

>100 mg/l (Leuciscus idus) 1,150 mg/l (poecilia reticulata)

· 12.2 Persistence and

degradability No further relevant information available. · 12.3 Bioaccumulative potential

No further relevant information available. No further relevant information available.

· 12.4 Mobility in soil

- Additional ecological information:

Do not allow undiluted product or large quantities of it to reach ground water, · General notes:

water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

Uncleaned packaging:

· Recommendation: Packaging may be reused or recycled after cleaning.

Disposal must be made according to official regulations.

SECTION 14: Transport information

· <u>14.1 UN-Number</u> · <u>ADR, IMDG, IATA</u>	Void		
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
14.5 Environmental hazards: Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.			
· Transport/Additional information:	Not dangerous according to the above specifications.		
· <u>UN "Model Regulation":</u>	Void		

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 12.08.2019 Version number 3 Revision: 12.08.2019

Trade name: Pro Scrub

(Contd. of page 7)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

- VOC EU 59.1 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H319 Causes serious eye irritation.

Department issuing SDS: Laboratory

· Contact: Dieter Zimmermann

Elke Hake

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

GB