Safety data sheet according to 1907/2006/EC, Article 31

AKEMI®

Tel. +49(0)911-642960

Fax. +49(0)911-644456

e-mail info@akemi.de

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Super Glue Black

- Article number: 87575

1.2 Relevant identified uses of the substance or mixture and

uses advised against

No further relevant information available.

- Application of the substance / the

<u>mixture</u> Adhesives

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg

• Further information obtainable from:

· 1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

- <u>Signal word</u> Warning

· Hazard-determining components

of labelling:

ethyl 2-cyanoacrylate

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

• Precautionary statements P101 If medical advice is needed, have product container or label

at hand.

P102 Keep out of reach of children. P103 Read label before use. P261 Avoid breathing vapours.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

(Contd. of page 1)

50-100%

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/

regional/national/international regulations.

· Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach

of children.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

EINECS: 230-391-5

CAS: 7085-85-0 ethyl 2-cyanoacrylate

Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

Index number: 607-236-00-9

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

• After swallowing: Call a doctor immediately.

Induce vomiting, if person is conscious. Seek medical help.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and

delayed

Allergic reactions

Headache

Breathing difficulty

Coughing Nausea

· 4.3 Indication of any immediate

medical attention and special

treatment needed No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents: W

Water with full jet

5.2 Special hazards arising from

the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CO)

· 5.3 Advice for firefighters

· <u>Protective equipment:</u> Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage

system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures

Keep away from ignition sources. Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away. Product forms slippery surface when combined with water.

Product forms slippery surface when combined with water.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Prevent from spreading (e.g. by damming-in or oil barriers). Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

 \cdot 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

Use solvent-proof equipment.

Open and handle receptacle with care.

Information about fire - and

explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by

storerooms and receptacles:

Provide solvent resistant, sealed floor.
Store only in the original receptacle.

Store in a cool location.

· Information about storage in one

common storage facility:

Store away from oxidising agents.

Further information about storage

conditions:

Protect from frost.

Keep container tightly sealed.

- Storage class: 10

 \cdot **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about

design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

WEL Short-term value: 1.5 mg/m³, 0.3 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment:

· General protective and hygienic

measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of

intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be

given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

• <u>Material of gloves</u> The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked

prior to the application.

• Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

(Contd. on page 5)



(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black


 As protection from splashes gloves made of the following materials are suitable:

Butyl rubber, BR

• Not suitable are gloves made of the following materials:

Strong material gloves Leather gloves

· Eye protection:



- Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Appearance:	First
Form: Colour:	Fluid Black
· Odour:	Specific type
· Odour threshold:	Not determined.
· pH-value:	Not determined.
<u> </u>	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. <u> </u>
· Flash point:	> 81 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
<u>Upper:</u>	Not determined.
· Vapour pressure:	Not determined.
Density at 20 °C:	1.1 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
· 9.2 Other information	No further relevant information available.
	(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

(Contd. of page 5)

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

• 10.2 Chemical stability • Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

<u>reactions</u> Danger of polymerisation.

Reacts with acids, alkalis and oxidising agents.

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

10.6 Hazardous decomposition

products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

7085-85-0 ethyl 2-cyanoacrylate

Oral LD50 >5,000 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rabbit)

· Primary irritant effect:

• <u>Skin corrosion/irritation</u> Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

• STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• <u>General notes:</u> Water hazard class 2 (German Regulation) (Self-assessment): hazardous for

water

· 12.5 Results of PBT and vPvB assessment

▶ PBT: Not applicable.▶ VPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

Packagings that may not be cleansed are to be disposed of in the same manner

as the product.

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number
 ADR, ADN, IMDG
 IATA
 Void
 UN3334

· 14.2 UN proper shipping name

· ADR, ADN, IMDG Void

· IATA Aviation regulated liquid, n.o.s.

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG

- Class Void

IATA



• <u>Class</u> 9 Miscellaneous dangerous substances and articles.

· 14.4 Packing group

· ADR, IMDG · IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)



(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.09.2018 Version number 5 Revision: 03.09.2018

Trade name: Super Glue Black

· National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be

observed.

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• <u>VOC EU</u> 0.0 g/l

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Department issuing SDS: Laboratory

- Contact: Dieter Zimmermann

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

GB