AKEMI[®]

Printing date 09.02.2021 Version number 9 Revision: 09.02.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking I. Product identifier 1. Trade name: Store Pollsh - wax based • Aride number: 10807, 10805, 10805, 11895, 11894/11880 • UFI: VQD2-108E-500V-ANF8 • Aride number: No further relevant information available. • Application of the substance / the Maintenance product Haintenance product • Application of the substance / the Maintenance product Tel. +49(0)911-642090 • Aride information oblianable from: Laboratory • Additional information oblianable from: Laboratory • Additional point of the substance or Inform So and is 0.50 p.m. Friday from 07:30 a.m. to 13:30 p.m. • Further information oblianable from 07:30 a.m. to 13:30 p.m. Friday from 07:30 a.m. to 13:30 p.m. • Additional point of the substance or Inform: Mendage Point (EC) No • Additional to Resultation Version Warning • Classification of the substance or Inform: Friday from 07:30 a.m. to 13:30 p.m. • Additional to Resultation (EC) No 1272/2006 Stin Sens. 1 11317 May cause an allergic skin reaction. • Label elements Formali andite conding to Regulation (EC) No 1272/2006	according to 1907/2006/EC, Article 31			
1.1 Product identifier Stone Polish - wax based 1.1 facte name: 10807, 10805, 10806, 11895, 11894/11880 VOD2-H08E-300V-ANF8 VOD2-H08E-300V-ANF8 1.2 Relevant identified uses of the substance or mixture and uses advised against maintenance product No further relevant information available. * Application of the substance / the mixture Maintenance product * ADotails of the supplier of the safety data sheet Tel. +49(0)911-642960 * Mainteacturer/Supplier: AKEM Chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 * Further information obtainable from: Laboratory Fax. +49(0)911-64296-58 * 1.4 Enrogency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +48(0)911-64296-58 * Haid - Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +48(0)911-64296-58 Fax. +49(0)911-64296-58 * Calcasification of the substance or mixture Calcasification Decoming the Road London SE14 5ER SECTION 2: Hazards identification 21 Classification of the substance or mixture • Classification according to Regulation (EC) No 12722008 Skin Sens. 1 H317. May cause an allergic skin reaction. • Labori dements Harard didements H317 May cause an allergic skin reaction. • Hazard piclograms H317 May cause an allergic skin	Printing date 09.02.2021	Version number 9	Revision: 09.02.2021	
• Trade name: Stone Polish - wax based • Article number: 10807, 10805, 10806, 11895, 11894/11880 • JFL: • Rolevant identified uses of the substance or mixture and uses advised against • No further relevant information available. • Application of the substance / the mixture and uses advised against • No further relevant information available. • Fax: +49(0)911-642960 • Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 • Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 • Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 • Huther information obtainable Form: Fax: +49(0)911-642960 • Further information obtainable Laboratory Fax: +49(0)911-642960 • Toritic aff value of the substance or mixture Laboratory Fax: +49(0)911-642960 • Laboratory I aboratory Fax: +49(0)911-642960 • Toritic aff value of the substance or mixture and using office hours: Monday - Thursday from 07:30 a.m. to 16:30 p.m. • Friday from 07:30 a.m. to 13:30 p.m. • Hait friday from 07:30 a.m. to 16:30 p.m. • Adalition according to Regulation (EC) No 1272/2008 Skin Sens. 1.1317 May cause an allergic skin reaction.	SECTION 1: Identification of the	substance/mixture and of the company/undertaking	1	
UP:: VCD2-HORE-S00V-ANF8 12. Relovant identified uses of the substance or mixture and values advised against Application of the substance / the mixture No further relevant information available. • Application of the substance / the mixture No further relevant information available. Tel. +49(0)911-642486 D 50451 Numberg • Laboratory AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-644486 D 50451 Numberg • Luther information obtainable from: Laboratory • 14. Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday6569 Reachable during the following office hours: Monday – Thursdayform 07:30 a.m. to 16:30 p.m. +44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avalonley Road London SE14 SER SECTION 2: Hazards identification • 21. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms Zumethyl-2H-isothiazol-3-one isoeugenol • Hazard pictograms Zumethyl-2H-isothiazol-3-one isoeugenol • Hazard pictograms Zumethyl-2H-isothiazol-3-one isoeugenol • Hazard statements H01 If medical advice is needed, have product con		Stone Polish - wax based		
 1.2 Relevant identified uses of the substance or mixture and uses advised against. Application of the substance / the Maintenance product 1.3 Details of the supplier of the safety data sheet Maintenance product 1.3 Details of the supplier of the safety data sheet Maintenance product 1.4 Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 Further information obtainable from: Laboratory 1.4 Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during office hours: Monday – Thursday from 07:30 am. to 13:30 p.m. Friday from 07:30 am. to 13:30 p.m. Friday from 07:30 am. to 13:30 p.m. +44 (171) 653 01 91 National Poison Inform. Centre Medical Toxicology Unit Available during from Contre Medical Toxicology Unit Available y Road London SE14 SER SECTION 2: Hazards identification 2.1 classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. 2.2 Labal elements Hazard pictograms Hazard berterming components of Pictograms an allergic skin reaction. Pice Assert as a allergic skin reaction. Pice Assert as a pictograms Hazard pictograms Haza				
 Application of the substance / the Maintenance product 1.3 Details of the supplier of the safety data sheet Maintenance product 1.4 Details of the supplier of the safety data sheet Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 D 90451 Nürnberg Fax. +49(0)911-642456 D 90451 Nürnberg Further information obtainable from: Laboratory 1.4 Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 15:30 p.m. Fridday from 07:30 a.m. to 16:30 p.m. Fridday from 07:30 a.m. to 16:30 p.m. Fridday from 07:30 a.m. to 16:30 p.m. +44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avaloniey Road London SE14 SER SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. 22. Label elements Labeling according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. 22. Label elements Labeling according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Hazard pictograms Hazard determining components of Iabeling: 2-methyl-2H-isothiazol-3-one Iaceugenol Hazard statements H317 May cause an allergic skin reaction. P101 If medical advice is needed, have product container or label at hand. P103 Read carefully and follow all instructions. P2161 Avoid breatting mixtyapours/spray. P280 Wear protective gloves. P302/FP352 IF ON SKIN: Wash with pileny of water. P332+P331 If skin irritation or rash occurs: Get medical advice/attention. P332+P331 If skin irritation or rash occurs: Get medical advice/attention	• 1.2 Relevant identified uses of the substance or mixture and			
1.3 Details of the supplier of the safety data sheet AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Fax. +49(0)911-642960 Further information obtainable from: Laboratory Fax. +49(0)911-642960 * Further information obtainable from: Laboratory Fax. +49(0)911-64296-59 * Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. • Friday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 16:30 p.m. • Friday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 16:30 p.m. • At4 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avalonity Road • Avalonity Road London SE14 5ER SECTION 2: Hazards identification E22 Label elements • Labelling according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317. May cause an allergic skin reaction. • Z2 Label elements The product is classified and labelled according to the CLP regulation. • Hazard pictograms The product is classified and labelled according to the CLP regulation. • Hazard determining components of labelling: 200 Warning • Hazard statements Precautionany statements Pridical advic	· Application of the substance / the			
• Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296 • Eurther information obtainable Laboratory Fax. +49(0)911-64296 • Further information obtainable Laboratory Fax. +49(0)911-64296 • I.4 Emergency telephone Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH • Tet. +49(0)911-64296-59 Reachable during the following office hours: • Monday – Thursday from 07:30 a.m. to 16:30 p.m. Frid. +49(0)401-64296-59 • Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. • Frid. +49(0)201-64296-59 Reachable during the following office hours: • Monday – Thursday from 07:30 a.m. to 16:30 p.m. Frid. +49(0)200 • Frid. +49(0)200 and the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. • Stignal word National Poison Inform. Centre • Labelling according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. • Labelling according to Regulation The product is classified and labelled according to the CLP regulation. • Hazard pictograms Calsorf • Hazard pictograms Calsorf • Hazard statements H317 May cause an allergic skin reaction. • Precaut				
form: •1.4 Emergency telephone number: Laboratory Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 18:30 p.m. Hational Poison Inform. Centre Medical Toxicology Unit Avaionley Road London SE14 SER SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. * 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard-determining components of labelling · Hazard determining components of labelling: Precautionary statements Pio1 If medical advice is needed, have product container or label at hand. Pio2 Keep out of reach of children. Pio2 Keep out of reach of children. Pio1 Zize Signes word or label and labelly and follow all instructions. Pio1 Keep out of reach of children. Pio1 Keep out of reach of children. Pio2 Keep out of reach of children. Pio3 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P33+P3131 fiskin irritation or rish occurs: Get medical advice/attention. P501 Dispose of contents/container in		AKEMI chemisch technische Spezialfabrik GmbH Lechstrasse 28	Fax. +49(0)911-644456	
number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 16:30 p.m. +44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avalonley Road London SE14 5ER SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS07 Signal word Hazard statements Hazard statements Pio1 Hazard statements Pio2 Keep out of reach of children. Pio3 Precuutionary statements Pio1 Pio2 Keep out of reach of children. Pio3 Reac acrefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. Pio1 If medical advice is needed, have product container or label at hand. Pio2 Keep out of reach of children. Pio3 <td>from:</td> <td>Laboratory</td> <td></td>	from:	Laboratory		
Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 16:30 p.m. H44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avalonley Road London SE14 5ER SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 GHS07 • Signal word Warning • Hazard-determining components of labelling; 2-methyl-2H-isothiazol-3-one isseugenol • Hazard-determining components of Iabelling; 2-methyl-2H-isothiazol-3-one isseugenol • Hazard statements P101 • Precautionary statements P101 • P103 Read carfully and follow all instructions. P280 • P280 Wear protective glowes. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P315 If skin irritation or rash occurs. Get medical advice/attention. P501 • Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one				
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 File Construction Preceded according to Regulation (EC) No 1272/2008 Hazard pictograms The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: 2-methyl-2H-isothiazol-3-one isoeugenol Hazard statements H317 May cause an allergic skin reaction. Precautionary statements H317 May cause an allergic skin reaction. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 P260 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. • Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one	<u>number:</u>	Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m. +44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit Avalonley Road	he Spezialfabrik GmbH	
Hazard pictograms Image: GHS07 Signal word Warning Hazard-determining components of labelling: 2-methyl-2H-isothiazol-3-one isoeugenol Hazard statements 2-methyl-2H-isothiazol-3-one isoeugenol Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. • Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one	 Classification according to Regulat Skin Sens. 1 H317 May cause an <u>2.2 Label elements</u> Labelling according to Regulation 	tion (EC) No 1272/2008 a allergic skin reaction.	CI P regulation	
 Hazard-determining components of labelling: Hazard statements Hazard statements Hazard statements Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one 				
 Hazard-determining components of labelling: Hazard statements Hazard statements Hazard statements Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one 	· Signal word			
labelling: 2-methyl-2H-isothiazol-3-one isoeugenol Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. · Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one		-		
 Hazard statements Precautionary statements Precautionary statements H317 May cause an allergic skin reaction. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one 				
<u>Additional information:</u> Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one (Contd. on page 2)	· Hazard statements	isoeugenolH317 May cause an allergic skin reaction.P101If medical advice is needed, have productP102Keep out of reach of children.P103Read carefully and follow all instructions.P261Avoid breathing mist/vapours/spray.P280Wear protective gloves.P302+P352 IF ON SKIN: Wash with plenty of water.P333+P313 If skin irritation or rash occurs: Get medicaP501Dispose of contents/container in accord	al advice/attention.	
(Contd. on page 2)	· Additional information:	Contains biocidal products: 2-methyl-2H-isothiazol-	3-one, 1,2-benzisothiazol-	
		3(2H)-one		

Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

AKEMI[®]

	(Contd. o	of pag
2.3 Other hazards Results of PBT and vPvB assessmed Results results r	aant	
PBT:	Not applicable.	
vPvB:	Not applicable.	
SECTION 3: Composition/inform	nation on ingredients	
3.2 Chemical characterisation: N Description:	<u>Mixtures</u> Mixture of substances listed below with nonhazardous additions.	
Dangerous components:		
CAS: 12042-91-0	dialuminium chloride pentahydroxide	1-5
EINECS: 234-933-1 Reg.nr.: 01-2119533142-53-0001	substance with a Community workplace exposure limit	
CAS: 64-19-7	acetic acid	<19
EINECS: 200-580-7	Flam. Liq. 3, H226	
Index number: 607-002-00-6	Skin Corr. 1A, H314	
CAS: 2692.20.4	Acute Tox. 4, H312; Acute Tox. 4, H332	- 41
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<19
EINECS: 220-239-6 Index number: 613-326-00-9	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314; Eye Dam. 1, H318	
Reg.nr.: 01-2120764690-50	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
1.09.111. 01 212010 1 090-00	Skin Sens. 1A, H317; STOT SE 3, H335	
Additional information:	For the wording of the listed hazard phrases refer to section 16.	
After inhalation:	Take affected persons out into the fresh air. Supply fresh air; consult doctor in case of complaints.	
After skin contact:	Generally the product does not irritate the skin.	
	If skin irritation continues, consult a doctor.	
After eye contact:	Rinse opened eye for several minutes under running water.	
After swallowing:	If symptoms persist consult doctor.	
After swallowing:		
After swallowing: 4.2 Most important symptoms	If symptoms persist consult doctor.	
After swallowing:	If symptoms persist consult doctor.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents:	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents:	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Protective equipment:	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions. No further relevant information available. No special measures required.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Protective equipment: SECTION 6: Accidental release r	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions. No further relevant information available. No special measures required.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Protective equipment: SECTION 6: Accidental release r 6.1 Personal precautions,	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions. No further relevant information available. No special measures required.	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Protective equipment: SECTION 6: Accidental release r 6.1 Personal precautions, protective equipment and	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions. No further relevant information available. No special measures required. measures	
After swallowing: 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting measur 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters Protective equipment: SECTION 6: Accidental release r 6.1 Personal precautions,	If symptoms persist consult doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately. No further relevant information available. If swallowed, gastric irrigation with added, activated carbon. res Use fire extinguishing methods suitable to surrounding conditions. No further relevant information available. No special measures required.	

	according to 1907/2006/EC, Article 51	
Printing date 09.02.2021	Version number 9	Revision: 09.02.2021
<u>Trade name:</u> Stone Polish - wax bas	ed	
6.2 Environmental precautions:	Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.	(Contd. of page 2)
• <u>6.3 Methods and material for</u> containment and cleaning up:	Absorb with liquid-binding material (sand, diatomit binders, sawdust).	e, acid binders, universal
6.4 Reference to other sections	No dangerous substances are released.	
SECTION 7: Handling and storag	le	
 <u>7.1 Precautions for safe</u> <u>handling</u> Information about fire - and 	No special measures required.	
explosion protection:	No special measures required.	
 <u>7.2 Conditions for safe storage, i</u> <u>Storage:</u> <u>Requirements to be met by</u> 		
storerooms and receptacles: Information about storage in one common storage facility:	No special requirements. Not required.	
Further information about storage conditions: Storage class:	Protect from frost. 12	
7.3 Specific end use(s)	No further relevant information available.	
SECTION 8: Exposure controls/p · <u>8.1 Control parameters</u> · Additional information about design of technical facilities:		
 Ingredients with limit values that red 	quire monitoring at the workplace:	
12042-91-0 dialuminium chloride	pentahydroxide	
WEL Long-term value: 2 mg/m ³		
64-19-7 acetic acid	00	
WEL Short-term value: 50 mg/m ³ , Long-term value: 25 mg/m ³ ,		
· DNELs	n antala sulvastida	
12042-91-0 dialuminium chloride Inhalative DNEL (Langzeit-wiederh		
· Additional information:	The lists valid during the making were used as basis.]
• <u>8.2 Exposure controls</u> • <u>Personal protective equipment:</u> • General protective and hygienic		
<u>measures:</u>	The usual precautionary measures are to be ac chemicals. Immediately remove all soiled and contaminated cloth Avoid close or long term contact with the skin.	-
 Respiratory protection: Protection of hands: 	Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the p Not required. Preventive skin protection by use of skin-protecting ag After use of gloves apply skin-cleaning agents and ski Skin protection agent recommendation for preventive protective gloves:	jents is recommended. n cosmetics.



Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

AKEMI[®]

Trade name: Stone Polish - wax based

	(Contd. of page 3)
	STOKODERM (http://www.stoko.com)
	Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:
	STOKO EMULSION (http://www.stoko.com)
	Skin protection recommendation for skin cleaning after product handling:
	FRAPANTOL (http://www.stoko.com)
	Skin protection agent recommendation for skin aftercare:
	STOKO VITAN (http://www.stoko.com)
	The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL
	GmbH in compliance with EN374.
	This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In
	case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH,
	Germany, 36124 Eichenzell, internet: http://www.kcl.de).
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
 Material of gloves 	Butyl rubber, BR
	The selection of the suitable gloves does not only depend on the material, but
· Penetration time of glove material	also on further marks of quality and varies from manufacturer to manufacturer. The exact break trough time has to be found out by the manufacturer of the
	protective gloves and has to be observed.
· For the permanent contact gloves	Value for the permeation: Level \leq 6, 480 min
made of the following materials are	
suitable:	Butyl rubber, BR
	Butoject (KCL, Art_No. 897, 898)
 As protection from splashes gloves 	
made of the following materials are	
suitable:	Butyl rubber, BR
	Butoject (KCL, Art_No. 897, 898)
	Neoprene gloves
	Nitopren (KCL, Art_No. 717)
	Fluorocarbon rubber (Viton)
· Not suitable are gloves made of	Vitoject (KCL, Art_No. 890)
the following materials:	Leather gloves
and renewing materials.	Strong material gloves
· Eye protection:	Goggles recommended during refilling
· Body protection:	Protective work clothing
SECTION 9: Physical and chemic	cal properties
• 9.1 Information on basic physica	I and chemical properties
· General Information	
· Appearance:	
Form:	Fluid
	(Contd. on page 5)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

AKEMI[®]

Trade name: Stone Polish - wax based

	(Contd. of page 4)
Colour: · <u>Odour:</u>	Whitish Mild
· pH-value at 20 °C:	6
 <u>Change in condition</u> <u>Melting point/freezing point:</u> <u>Initial boiling point and boiling range:</u> 	Undetermined. 100 °C
· <u>Flash point:</u>	Not applicable.
· Ignition temperature:	300 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.01 g/cm ³
 Solubility in / Miscibility with water: 	Fully miscible.
· <u>Viscosity:</u> <u>Dynamic:</u> <u>Kinematic at 20 °C:</u>	Not determined. 11 s (DIN 53211/4)
· <u>Solvent content:</u> Organic solvents: <u>Water:</u>	0.2 % 81.0 %
Solids content:	14.7 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

 <u>10.1 Reactivity</u> 10.2 Chemical stability 	No further relevant information available.
· Thermal decomposition /	No decomposition if wood according to according to
conditions to be avoided: • 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known.
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous decomposition	
products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxi	city	Based on available data, the classification criteria are not met.		
· <u>LD/LC50</u> v	· LD/LC50 values relevant for classification:			
12042-91-	0 dialumii	nium chloride pentahydroxide		
Oral	LD50	9,187 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)		
64-19-7 ad	cetic acid			
Oral	LD50	3,310 mg/kg (rat)		
Dermal	LD50	1,060 mg/kg (rabbit)		
Inhalative	LC50/4 h	11.4 mg/l (rat)		

(Contd. on page 6)

Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

Trade name: Stone Polish - wax based

				(Contd. of page 5)	
2682-20-4	2682-20-4 2-methyl-2H-isothiazol-3-one				
Oral	LD50	100 mg/kg (A	TE)		
Dermal	LD50	300 mg/kg (A	300 mg/kg (ATE)		
Inhalative	LC50/4 h	0.5 mg/l (ATE	Ξ)		
 Primary irr 	itant effect	t:			
 Skin corro 	sion/irritati	on	Based on available data, the classification criteria are not met.		
 Serious ey 			Based on available data, the classification criteria are not met.		
 Respirator 	Respiratory or skin sensitisation May cause an allergic skin reaction.				
 Additional 	Additional toxicological information:				
· CMR effect	cts (carcino	ogenity, mutag	enicity and toxicity for reproduction)		
· Germ cell	mutagenic	ity	Based on available data, the classification criteria are not met.		
· Carcinoge	nicity		Based on available data, the classification criteria are not met.		
· Reproductive toxicity B		1	Based on available data, the classification criteria are not met.		
· STOT-single exposure		re	Based on available data, the classification criteria are not met.		
· STOT-rep	• STOT-repeated exposure Based on available data, the classification criteria are not met.				
 Aspiration 	hazard		Based on available data, the classification criteria are not met.		

SECTION 12: Ecological information

· 12.1 Toxicity Aquatic toxicity:

 Aquatic toxicity: 				
12042-91-0 dialuminium ch	12042-91-0 dialuminium chloride pentahydroxide			
EC50 >1,000 mg/l (bi	ucteria)			
LC50/96h 100-500 mg/l (100-500 mg/l (Zebrabärbling) (OECD 203)			
64-19-7 acetic acid				
EC50/24h 47 mg/l (daphn	a magna)			
EC50/15min 11 mg/l (Photo	pac. phosphoreum)			
EC5 78 mg/l (Entos	phon sulcatum)			
2,850 mg/l (ps	udomonas putida)			
IC5/96h 4,000 mg/l (Sc	enedesmus quadricauda)			
LC50/96h 75 mg/l (lepom	s macrochirus)			
88 mg/l (pimep	nales promelas)			
2682-20-4 2-methyl-2H-isot	hiazol-3-one			
EC50 34.6 mg/l (BES	34.6 mg/l (BES) (DIN 38412-3)			
EC50/48h 1.6 mg/l (daphi	1.6 mg/l (daphnia magna)			
EC50/16h 2.3 mg/l (pseud	2.3 mg/l (pseudomonas putida)			
EC20/3h 2.8 mg/l (BES)	2.8 mg/l (BES) (DIN 38412-3)			
EC50/72h 0.157 mg/l (Ps	0.157 mg/l (Pseudokirchneriella subcapitata)			
LC50/96h 6 mg/l (rainbov	6 mg/l (rainbow trout)			
12.2 Persistence and				
<u>degradability</u>	No further relevant information available.			
12.3 Bioaccumulative pote				
12.4 Mobility in soil	No further relevant information available.			
· Additional ecological informa				
· <u>General notes:</u>	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water			
12.5 Results of PBT and vF				
· PBT:	Not applicable.			
· <u>vPvB</u> :	Not applicable.			
12.6 Other adverse effects	No further relevant information available.			
	(Contd. on page 7) GB			





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

	(Contd. of page
	(Conid. of page
SECTION 13: Disposal considera	ations
13.1 Waste treatment methods	
Recommendation	On the basis of the necessary technical regulations and after consultation wi the disposal agent and the relevant authorities, can be disposed of with domest waste or incinerated with domestic waste. Smaller quantities can be disposed of with household waste.
Uncleaned packaging: Recommendation:	Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
SECTION 14: Transport informat	tion
14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	not applicable.
14.7 Transport in bulk according and the IBC Code	
UN "Model Regulation":	Void
• 14.6 Special precautions for use • 14.7 Transport in bulk according	r Not applicable. g to Annex II of Marpol Not applicable. Void
15.1 Safety, health and environm	nental regulations/legislation specific for the substance or mixture
Directive 2012/18/EU Named dangerous substances - ANNEX I	None of the ingredients is listed.
Named dangerous substances -	None of the ingredients is listed.
Named dangerous substances - ANNEX I National regulations: Waterhazard class: VOC EU	None of the ingredients is listed. Water hazard class 1 (Self-assessment): slightly hazardous for water. 6.0 g/l
Named dangerous substances - ANNEX I National regulations: Waterhazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.
Named dangerous substances - ANNEX I National regulations: Waterhazard class: VOC EU 15.2 Chemical safety assessment:	Water hazard class 1 (Self-assessment): slightly hazardous for water. 6.0 g/l
Named dangerous substances - ANNEX I National regulations: Waterhazard class: VOC EU 15.2 Chemical safety assessment: SECTION 16: Other information This information is based on our p	Water hazard class 1 (Self-assessment): slightly hazardous for water. 6.0 g/l

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.



Printing date 09.02.2021

Version number 9

Revision: 09.02.2021

Trade name: Stone Polish - wax based

· <u>Recommended restriction of use</u>	(Contd. of page 7) H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. refer to Technical Data Sheet (TDS)		
 Department issuing SDS: Contact: Abbreviations and acronyms: 	Laboratory Dieter Zimmermann RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent D50: Lethal concentration, 50 percent D51: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
 * Data compared to the previous version altered. 	Adaptation in accordance with REACH directive 1907/2006/EC		



GB