

Technical Data Sheet

Page 1 of 1

Properties:

AKEMI® Good-Bye Stain is a ready-to-use, rapidly effective, slightly alkaline cleaning agent based on active chlorine compounds. The product is free of solvents.

Application Area:

AKEMI® Good-by Stain rapidly and thoroughly removes organic discolouring or stains caused by fruit- and vegetable juices, coffee, tea, red wine, tobacco, leaves or blossoms, berries, blood, hair dye, felt-tip pens etc. on mineral surfaces such as marble, granite, concrete ashlar, quartz, ceramics.

Instructions for Use:

- 1. Do not bring AKEMI® Good-Bye Stain into contact with the skin. Wear suitable protective gloves and glasses if necessary.
- Do not allow contact with metals, wood, clothing or similar in order to avoid discolouring or bleaching. If in doubt, try on an inconspicuous area.
- 3. Remove deep staining mechanically.
- 4. Apply the product generously and undiluted with a brush, sponge, cloth or pipette.
- 5. Allow to react for 10 30 minutes do not allow to dry.
- 6. Rinse with clear water and a brush afterwards.
- 7. If necessary, repeat the cleaning process and let the product work for a longer period of time.

Special Notes:

- The product originally has a yellow-green colouration. If stored incorrectly or overstored, the colouration may fade, indicating a limited efficiency.
- Do not mix with other cleaners, especially those containing acids.
- Do not allow contact with plants, otherwise rinse immediately with water.
- Do not refill used material into storing containers.
- Do not empty into drains.
- Protect from direct sunlight and heat.
- Emptied and cleaned containers can be given to synthetic material recycling.

Technical Data: Colour: yellow-green, transparent

Density: approx. 1.10 g/cm³

pH value: approx. 11

Storage: If stored in dry and cool condition (5-25°C/41-77°F) in its closed original

container at least 12 months from production.

Health & Safety: Read Safety Data Sheet before handling or using this product.

Important Notice: The above information is based on the latest stage of development and

application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample

piece.